

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

**Search Results**[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "(( differen\* <near/2> phas\* <near/2> detect\* <near/7> switch\* <near/7> int..." [e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 [»](#)☐ Check to search only within this results set

» Key

Display Format:



Citation



Citation &amp; Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2005 IE



[Home](#) | [Login](#) | [Logout](#) | [Access information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or compose a new query in the Search Query Display.

Thu, 15 Sep 2005, 5:11:14 PM EST

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 ( ( differen\* &lt;near/2&gt; phas\* &lt;near/2&gt; detect\* &lt;near/7&gt; switch\* &lt;near/7&gt; interrupt\*&lt;in&gt;metadata )&lt;in&gt;metadata )

#2 ( ( differen\* &lt;near/2&gt; phas\* &lt;near/2&gt; detect\* &lt;near/7&gt; switch\* &lt;near/7&gt; interrupt\*&lt;in&gt;metadata )&lt;in&gt;metadata )

indexed by  
 Inspec®

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE

	Hits	Search Text	DBs
1	1507	(pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or oscillator or ossccillator or osscillator or osscillator or ossccilator or oscilater or osscilater or osscilater or osscillator or osscillator or ossccilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or oscillator or ossccillator or osscillator or ossccilator or osscillator or oscilater or osscilater or osscilater or oscillator or ossccillator or osscillator or ossccilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch or select) and (@ad<"19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
2	197	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354).ccls. and (pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osscilator or oscillator or ossccillator or ossccillator or ossccilator or oscilater or osscilater or osscilater or oscillator or ossccillator or ossccilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osscilator or oscillator or ossccillator or ossccillator or ossccilator or oscilater or osscilater or osscilater or oscillator or ossccillator or ossccilater or ossccilater or ossccilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch or select) and (@ad<"19991029")	US-PGPUB; USPAT

	Hits	Search Text	DBs
<b>3</b>	<b>106</b>	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354).ccls. and (pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osscilator or osscilator or osscilator or osscilator or oscilater or osscilater or osscilater or oscillater or ossccillater or ossccillater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osscilator or oscillator or ossccillator or ossccillator or ossccilator or oscilater or osscilater or oscillater or ossccillater or ossccillater or ossccilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch or select) and (opamp or op-amp or op/amp or amplifier or (operational adj amplifier)) and (@ad<"19991029")	<b>US-PGPUB; USPAT</b>
<b>4</b>	<b>6</b>	("4316059"   "4502018"   "4651103"   "4672299"   "5475719"   "5577086").PN.	<b>USPAT</b>

	Hits	Search Text	DBs
5	32	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354).ccls. and (pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osscillator or oscillator or ossccillator or ossccillator or osscillator or ossccilator or oscilater or osscilater or osscilater or oscillator or ossccillator or ossccilater or ossccilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or oscillator or ossccillator or ossccillator or osscillator or ossccilator or oscilater or osscilater or osscilater or ossccilater or ossccilater or ossccilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch) and (opamp or op-amp or op/amp or (operational adj amplifier)) and (@ad<"19991029")	US-PGPUB; USPAT

	Hits	Search Text	DBs
6	156	(pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osscillator or osscillator or osscillator or osscillator or osscillator or oscilater or osscilater or oscillater or osscillater or osscillater or osscillater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osscilator or oscillator or osscillator or osscillator or oscilater or osscilater or osscilater or oscillater or osscillater or osscillater or osscillater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and ((switch or choose) same (opamp or op-amp or op/amp or (operational adj amplifier))) and (@ad<"19991029")	US-PGPUB; USPAT

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>7</b>	<b>156</b>	(pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osscillator or osscillator or osscillator or osscillator or osscillator or oscilater or osscilater or oscillater or osscillater or osscillater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osscilator or oscillator or osscillator or osscillator or oscilater or osscilater or oscillater or osscillater or osscillater) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and ((switch or choose) same (opamp or op-amp or op/amp or (operational adj amplifier))) and (@ad<"19991029"))	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>8</b>	<b>3</b>	("4167711"   "4885552"   "5021749").PN.	<b>USPAT</b>
<b>9</b>	<b>14</b>	"5319320".URPN.	<b>USPAT</b>
<b>10</b>	<b>13</b>	"5319320".URPN. and (@ad<"19991029")	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>



	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>11</b>	<b>33</b>	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354).ccls. and (pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osscillator or oscillator or ossccillator or ossccillator or osscillator or ossccilator or oscilater or osscilater or osscilater or oscillator or ossccillator or ossccillator or ossccilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or oscillator or ossccillator or ossccillator or ossccillator or oscilater or osscilater or osscilater or oscillator or ossccillator or ossccillator or ossccilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch) and (opamp or op-amp or op/amp or (operational adj amplifier)) and (@ad<"19991029")	<b>US-PGPUB; USPAT</b>
<b>12</b>	<b>2</b>	jp-58190135-\$.did.	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>13</b>	<b>2</b>	<b>ep-674392-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>14</b>	<b>2</b>	<b>ep-181439-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>15</b>	<b>1</b>	<b>jp-56051140-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>16</b>	<b>9</b>	<b>wo-9509485-\$.did. or jp- 58190135-\$.did. or ep-0674392- \$.did. or ep-674392-\$.did. or ep- 181439-\$.did. or jp-56051140- \$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>17</b>	<b>2</b>	<b>wo-9509485-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>18</b>	<b>46</b>	<b>(card\$1) same (pll or (phase\$1 adj1 lock\$3 adj1 loop)) same (sync or snchroniz\$6)</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>19</b>	<b>33</b>	<b>(card\$1) same (pll or (phase\$1 adj1 lock\$3 adj1 loop)) same (sync or snchroniz\$6) and ((@ad or @rlad or @prad)&lt;"19991029")</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>20</b>	<b>33</b>	<b>(card\$1) same (pll or (phase\$1 adj1 lock\$3 adj1 loop)) same (sync or snchroniz\$6) and ((@ad or @rlad or @prad)&lt;"19991029")</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>21</b>	<b>23</b>	<b>(card\$1) same (pll or (phase\$1 adj1 lock\$3 adj1 loop)) same (sync or synchroniz\$6) same (select\$5 or choos\$5 or choic\$5) and ((@ad or @rlad or @prad)&lt;"19991029")</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>22</b>	<b>20</b>	<b>(card\$1) same (pll or (phase\$1 adj1 lock\$3 adj1 loop)) same (sync or synchroniz\$6) same (select\$5 or choos\$5 or choic\$5) and ((@ad)&lt;"19991029")</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>23</b>	<b>0</b>	<b>(traffic adj1 card\$1) same (pll or (phase\$1 adj1 lock\$3 adj1 loop)) same (sync or synchroniz\$6) same (select\$5 or choos\$5 or choic\$5) and ((@ad)&lt;"19991029")</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>24</b>	<b>0</b>	<b>(traffic adj1 card\$1) and (pll or (phase\$1 adj1 lock\$3 adj1 loop)) and (sync or synchroniz\$6) and (select\$5 or choos\$5 or choic\$5) and ((@ad)&lt;"19991029")</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>25</b>	<b>26</b>	<b>(traffic adj1 card\$1) and ((@ad)&lt;"19991029")</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>26</b>	<b>7</b>	<b>(("5334952") or ("6606364") or ("5950115")).PN.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>





	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>30</b>	<b>14</b>	<b>S29 and @ad&lt;"19991029"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>31</b>	<b>2</b>	<b>"5950115".pn.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>32</b>	<b>6</b>	<b>S29 and amplif\$7 and @ad&lt;"19991029"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>33</b>	<b>2</b>	<b>"5334052".pn.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>34</b>	<b>2</b>	<b>"5334952".pn.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>35</b>	<b>3</b>	<b>"6,606,364".pn.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>36</b>	<b>41</b>	<p>(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354, 375/371, 360/60, 360/55, 375/375, 327/141, 327/146, 327/154, 327/155, 327/156).ccls. and (pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osscilator or oscillator or ossccillator or ossccillator or oscilater or osscilater or osscilater or oscillator or ossccillator or ossccillator or oscilater or osscilater or ossccillator or ossccillator or ossccilator) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or oscillator or ossccillator or ossccillator or ossccilator or oscilater or osscilater or oscillater or ossccillater or ossccillater or ossccilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch) and (opamp or op-amp or op/amp or (operational adj amplifier)) and (@ad&lt;"19991029")</p>	<p><b>US-PGPUB; USPAT</b></p>





	Hits	Search Text	DBs
<b>38</b>	<b>73</b>	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354, 375/371, 360/60, 360/55, 375/375, 327/141, 327/146, 327/154, 327/155, 327/156).ccls. and (pll\$3 or (phas\$7 adj lock\$7 adj loop\$7)) and (filter\$7 or add\$7 or accumulat\$7) and (os\$1c\$1il\$1at\$7) and clock\$3 and (feed\$1back\$7) and (vco or (voltage adj control\$7 adj os\$1c\$1il\$1at\$7)) and (filter\$7 or slic\$7) and phas\$7 and (synchron\$7) and (switch\$7) and (op\$1amp\$7 or (operat\$7 adj amplif\$7)) and (@ad<"19991029")	<b>US-PGPUB; USPAT</b>
<b>39</b>	<b>31</b>	<b>S38 not S37</b>	<b>US-PGPUB; USPAT</b>

Day : Thursday

Date: 9/15/2005

Time: 17:03:18

 PALM INTRANET

## Inventor Information for 09/432022

Inventor Name	City	State/Country
DONOHUE, JOHN E.	RIDGEFIELD	CONNECTICUT

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

Search Another: Application#

 [Search](#)

or Patent#

 [Search](#)PCT /  / [Search](#)

or PG PUBS #

 [Search](#)

Attorney Docket #

 [Search](#)

Bar Code #

 [Search](#)

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Thursday  
Date: 9/15/2005

 **PALM INTRANET**

Time: 17:03:24

**Inventor Name Search Result**

Your Search was:

Last Name = DONOHUE

First Name = JOHN E.

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">09090632</a>	<a href="#">6064273</a>	150	06/04/1998	PHASE-LOCKED LOOP HAVING FILTER WITH WIDE AND NARROW BANDWIDTH MODES	DONOHUE, JOHN E.
<a href="#">09394149</a>	<a href="#">6177783</a>	150	09/13/1999	CURRENT BALANCING FOR VOLTAGE REGULATOR HAVING INPUTS FROM MULTIPLE POWER SUPPLIES	DONOHUE, JOHN E.
<a href="#">09432022</a>	Not Issued	71	10/29/1999	SYSTEMS AND METHODS FOR HOLDOVER CIRCUITS IN PHASE LOCKED LOOPS	DONOHUE, JOHN E.
<a href="#">09432558</a>	Not Issued	41	11/03/1999	DIGITAL NODE FOR HYBRID FIBER/COAX NETWORK	DONOHUE, JOHN E.
<a href="#">09433332</a>	Not Issued	95	11/03/1999	DIGITAL RETURN PATH FOR HYBRID FIBER/COAX NETWORK	DONOHUE, JOHN E.

**Inventor Search Completed: No Records to Display.**

**Search Another: Inventor**

<b>Last Name</b>	<b>First Name</b>	
<input type="text" value="DONOHUE"/>	<input type="text" value="JOHN E."/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)